

Uniclass L7522	EPIC L22
CI/SfB (56.84)	X

Available from electric
wholesalers and
NICEIC engineers



Wireless Heating Systems

SPACE SAVING VERTICAL & HORIZONTAL POWDER COATED RADIANT PANEL

with Wireless Time and Temperature Control



All local space heaters manufactured for sale in the EU after 1st January 2018 which use electricity, gaseous or liquid fuels, must comply with a minimum efficiency standard. This includes electric radiators, electric underfloor heating and electric and gas fires.

 **PROUDLY MANUFACTURED IN THE UK**



A simple to install wireless controlled heating system for the whole home and commercial applications. Perfect for apartments, public areas, offices, showrooms, shops, nurseries, schools, retirement homes and healthcare!



ECO 1500D/RP/PC/RX/V

RADIATOR KEY FEATURES:

Simply wire the heater to a fused spur / Cable Length 2m / Cable exit on the rear - hidden wiring / Fitting Kit Supplied / No need to manually switch heaters "On" or "Off" when using controller.

WIRELESS CONTROLLER (TRANSMITTER) KEY FEATURES:

Keylock mode / Simple to Programme / Up to 6 temperature settings per day / 7 day clock / Advance mode / Economy mode / Holiday mode / Boost Mode / Inbuilt room temperature sensor / Frost protection / Powered by 2 x 1.5v Alkaline batteries

The TX control unit sends a 433MHz radio signal to each "registered" heater within a radius of 30 metres. Each RX panel heater has an inbuilt receiver designed to respond to a signal from the WCT 100/RX.

**RAL COLOUR OPTIONS**

	RAL 9010 PURE WHITE		RAL 6019 PASTEL GREEN		RAL 7047 TELE GREY 4
	RAL 9001 CREAM		RAL 6034 PASTEL TURQUOISE		RAL 9005 WHITE ALUMINIUM
	RAL 1015 LIGHT IVORY		RAL 5015 SKY BLUE		RAL 7024 GRAPHITE GREY
	RAL 1014 IVORY		RAL 5002 ULTRAMARINE BLUE		RAL 7016 ANTHRACITE GREY
	RAL 7032 PEBBLE GREY		RAL 5008 GREY BLUE		RAL 9005 BLACK

To help preserve the environment, and as part of its sustainability policy, Ecolec Radiators offer a **Do Not Scrap** return-to-base full refit and refurbishment service.

A simple 3 point plan!

- 1. Measure Room Sizes**
- 2. Calculate Heat Loss**
- 3. Select Radiator**

BETTER CONTROL SAVES ENERGY, SAVES MONEY


Department of Energy & Climate change suggest (2013) that a domestic energy bill is made up of 17% to hot water and 66% to domestic heating. Managing and controlling your heating **"Where you want it, when you want it"** is the key to saving money.

SPECIFICATION:

LINE REF	CODE	DIMENSIONS (H X W X D) MM	ELEMENT (WATTS)
Powder Coated White			
1.1	ECO 2000D/RP/PC/RX	2000 x 500 x 40	2000
1.2	ECO 1500D/RP/PC/RX	1500 x 500 x 40	1500
1.3	ECO 1000D/RP/PC/RX	1000x 500 x 40	1000
1.4	ECO 750D/RP/PC/RX	750 x 500 x 40	750
1.5	ECO 500D/RP/PC/RX	500 x 500 x 40	500
1.6	ECO 1000D/SB/RP/PC/RX	2000 x 250 x 40	1000
1.7	ECO 750D/SB/RP/PC/RX	1500 x 250 x 40	750
1.8	ECO 500D/SB/RP/PC/RX	1000 x 250 x 40	500
3.9	Selected Powder Coated RAL COLOURS available for additional charge		

SURFACE TEMPERATURE RANGE:

STANDARD 70°C




Battery Kit WCT100, WCT500

NEW FEATURES!
SURFACE TEMPERATURE
SETTING:



WCT 500/TX/70



Press the two buttons as shown until current surface temperature is display. Then adjust to required temperature using the arrow buttons.

MK1 230V Mains Kit



Sharrocks Street, Wolverhampton WV1 3RP

Tel: 01902 457575 Email: sales@ecolec.co.uk Website: www.ecolec.co.uk



Hereby, Ecolec Limited, declares that the radio equipment type thermostat and gateway are in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: www.ecolec.co.uk/support

© Ecolec © Ecolec 1995-2024.
All rights reserved Ecolec is a registered trademark of Ecolec Limited All specifications subject to change without notice.



**Proudly
Manufactured
in the UK.**

E&O.E.